## INDEX BY AUTHOR


| | Issue No. | Page |
|---|---|---|
| Alfano, L., Dipole-Dipole Deep Geoelectric Soundings Over Geological Structures | 2 | 283 |
| Aminzadeh, F., On the Bremmer Series Decomposition: Equivalence between Two Different Approaches | 1 | 71 |
| Bandu Rao Naik, S., The Correlation Refraction Methods as Applied to Weathered Zone Studies in a Granite Terrain | 1 | 18 |
| Banerjee, B., Apparent Resistivity of a Multilayered Earth with a Layer Having Exponentiality Varying Conductivity | 3 | 435 |
| Banerjee, B., Resistivity Sounding on a Multilayered Earth Containing Transition Layers | 5 | 750 |
| Beresford-Smith, G., A Parametric Approach to the Compression of Seismic Signals by Frequency Transformation | 4 | 551 |
| Berkhout, A. J., Migration in the Presence of Noise | 3 | 372 |
| Bhattacharya, G., Interaction Effects in Marine Seismic Source Arrays | 3 | 323 |
| Bhimasankaram, V. L. S., Influence of a Conducting Shield in the One-Loop Version of the Transient Pulse Induction Method | 2 | 269 |
| Bogoslovsky, Y. A., Geoelectric Models in Engineering Geophysics | 6 | 945 |
| Bois, P., Autoregressive Pattern Recognition Applied to the Delimitation of Oil and Gas Reservoirs | 4 | 572 |
| Broudou, L. Ju., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Cecchini, A., Effet Topographique en Prospection Electrique | 6 | 977 |
| Clayton, R. W., Impulse Response Models for Noisy Vibroseis Data | 1 | 49 |
| Clowes, R. M., Debubbling: A Generalized Linear Inverse Approach | 6 | 840 |
| Conway, J. G., On the Properties of the Reciprocal Geoelectric Section | 1 | 135 |
| Conn, P. J., Vertical Seismic Profiles: Their Applications in Exploration Geophysics | 5 | 676 |
| Coppens, F., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Dampney, C. N. G., Velocity Determination and Error Analysis for the Seismic Refraction Method | 1 | 1 |
| Das, U. C., Theory for the Bipole-Dipole Method of Resistivity Sounding | 2 | 297 |
| Das, U. C., Digital Linear Filter for Computing Type Curves for the Two-Electrode System of Resistivity Sounding | 4 | 610 |
| Dillahunty, R. C., Geophysical Data Bases: Systems Considerations | 4 | 495 |
| Dohr, G., Improvements in the Observations of Shear Waves | 2 | 208 |
| Dosso, H. W., The Inductive Response of a Horizontal Conducting Cylinder Buried in a Uniform Earth for a Uniform Inducing Field | 4 | 601 |
| Dupis, A., Noise, Temperature Coefficient, and Long Time Stability of Electrodes for Telluric Observations | 5 | 792 |
| Echteroff, J. A., Common Offset Plane Migration (COPMIG) | 6 | 859 |
| Elliott, H. M., Model Studies on some aspects of Resistivity and Membrane Polarization Behaviour over a Layered Earth | 5 | 759 |

## INDEX BY AUTHOR


| | Issue No. | Page |
|---|---|---|
| Fash, J. L., Geophysical Data Bases: Systems Considerations | 4 | 495 |
| Fedynsky, V. V., Seismic and Gravity Two-Dimensional Inhomogenous Model of the Earth's Crust (on the Example of Central Kazakhstan) | 4 | 592 |
| Garotta, R., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Gazdag, J., Wave Equation Migration with the Accurate Space Derivative Method | 1 | 60 |
| Goodacre, A. K., Estimation of the Minimal Density Contrast of a Homogeneous Body as an Aid to the Interpretation of Gravity Anomalies | 3 | 408 |
| Green, R., Field Processing of Magnetic Data | 3 | 384 |
| Gupta, O. P., Scale Model Electromagnetic Response to Inline and Broadside Systems at Skew Traverses of a Dipping Half Plane Embedded in a Conducting Host Rock | 1 | 119 |
| Hentschke, M. K., Common Offset Plane Migration (COPMIG) | 6 | 859 |
| Hosken, J. W. J., On the Response of Marine Seismic Streamer Systems | 4 | 513 |
| Hubral, P., Computation of the Normal Movement Velocity in 3D Laterally Inhomogenous Media with Curved Interfaces | 2 | 221 |
| Ireson, R. L., Vertical Seismic Profiles: Their Applications in Exploration Geophysics | 5 | 676 |
| Janle, H., Improvements in the Observation of Shear Waves | 2 | 208 |
| Johnston, R. C., Performance of 2000 and 6000 psi Air Guns: Theory and Experiment | 5 | 700 |
| Joshi, M. S., Scale Model Electromagnetic Response to Inline and Broadside Systems at Skew Traverses of a Dipping Half Plane Embedded in a Conducting Host Rock | 1 | 119 |
| Kennett, P., Vertical Seismic Profiles: Their Applications in Exploration Geophysics | 5 | 676 |
| Khattri, K., An Optimized Technique for Determining Stacking Velocity from Seismic Reflection Data | 6 | 825 |
| Krey, Th., Mapping No-reflective Velocity Interfaces by Normal Moveout Velocities of Underlying Horizons | 3 | 359 |
| Kuzmina, E. N., Geoelectric Models in Engineering Geophysics | 6 | 945 |
| Layotte, P. C., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Lerwill, W. E., Wavelet Deconvolution using a Source Scaling Law | 6 | 872 |
| Levy, S., Debubbling: A Generalized Linear Inverse Approach | 6 | 840 |
| Lines, L. R., Impulse Response Models for Noisy Vibroseis Data | 1 | 49 |
| Marcak, H., Significance of Information Uncertainty in Setting Up the Interpretative Patterns of Geophysical Data | 1 | 95 |
| March, D. W., Wavelet Deconvolution using a Source Scaling Law | 6 | 872 |
| Mason, I. M., A Parametric Approach to the Compression of Seismic Signals by Frequency Transformation | 4 | 551 |
| Mendel, J. M., On the Bremmer Series Decomposition: Equivalence between Two Different Approaches | 1 | 71 |
| Mendel, J. M., Generalized Kunetz-Type Equations | 2 | 240 |
| Michon, D., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |

## INDEX BY AUTHOR


| | Issue No. | Page |
|---|---|---|
| Mironova, L. V., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Mufti, I. R., Finite-Difference Evaluation of Apparent Resistivity Curves | 1 | 146 |
| Nagendra, R., Influence of a Conducting Shield in the One-Loop Version of the Transient Pulse Induction Method | 2 | 269 |
| Nanda Kumar, G., The Correlation Refraction Method as Applied to Weathered Zone Studies in a Granite Terrain | 1 | 18 |
| Narasimha Rao, B., Factor Analysis for Interpreting Petrophysical Data on Roro Ultramafics, Singhbhum District, India | 1 | 112 |
| Oblogina, T. I., Seismic and Gravity Two-Dimensional Inhomogenous Model of the Earth's Crust (on the Example of Central Kazakhstan) | 4 | 592 |
| Ogilvy, A. A., Geoelectric Models in Engineering Geophysics | 6 | 945 |
| Ogunade, S. O., The Inductive Response of a Horizontal Conducting Cylinder Buried in a Uniform Earth for a Uniform Inducing field | 4 | 601 |
| Olsson, O., VLF Anomalies from a Perfectly Conducting Half Plane Below and Overburden | 3 | 415 |
| Oristaglio, M. L., Inversion of Surface and Borehole Electronmagnetic Data, for Two-Dimensional Electrical Conductivity Models | 4 | 633 |
| Overmeeren, R. A. van, Tracing by Gravity of a Narrow Buried Graben Structure Detected by Seismic Refraction for Ground-water Investigation in North Chile | 3 | 392 |
| Pal, B. P., Apparent Resistivity of a Multilayered Earth with a Layer Having Exponentiality Varying Conductivity | 3 | 435 |
| Pal, B. P., Resistivity Sounding on a Multilayered Earth Containing Transition Layers | 5 | 750 |
| Pal, P. C., Factor Analysis for Interpreting Petrophysical Data on Roro Ultramafics, Singhbhum District, India | 1 | 112 |
| Parasnis, D. S., Forty-second Meeting of the European Association of Exploration Geophysicists, held at Istanbul, 1st–4th June, 1980: Presidential Address, A Popperian Look at Geophysics | 5 | 667 |
| Parsley, L. R., Geophysical Data Bases: Systems Considerations | 4 | 495 |
| Patella D., Gravity Interpretation Using the Hankel Transform | 5 | 744 |
| Patella, D., The Quantitative Interpretation of Dipole Soundings by Means of the Resistivity Transform Function | 6 | 956 |
| Patella, D., The Interpretation of the Vertical Fault Problem in Geoelectrics using Hankel Integral | 6 | 961 |
| Peardon, L. G., Wavelet Deconvolution Using a Source Scaling Law | 6 | 872 |
| Petiau, G., Noise, Temperature Coefficient and Long Time Stability of Electrodes for Telluric Observations | 5 | 792 |
| Polškov, M. K., Utilisation Combinee des Ondes Longitudinales et Transversales en Sismique Reflexion (Combined Use of Longitudinal and Transverse Waves in Reflection Seismics) | 2 | 185 |
| Ramaprasada Rao, I. B., Influence of a Conducting Shield in the One-Loop Version of the Transient Pulse Induction Method | 2 | 269 |
| Rao, N. D. J., An Optimized Technique for Determining Stacking Velocity from Seismic Reflection Data | 6 | 825 |

## INDEX BY AUTHOR


| | Issue No. | Page |
|---|---|---|
| Reitsch, E., Estimation of the Signal-to-Noise Ratio of Seismic Data with an Application to Stacking | 4 | 531 |
| Rocroi, J. P., Effet Topographique on Prospection Electrique | 6 | 977 |
| Roy, A., On Some Resistivity Log Interpretation Charts | 3 | 453 |
| Roy, K. K., Model Studies on some aspects of Resistivity and Membrane Polarization Behaviour over a Layered Earth | 5 | 759 |
| Safar, M. H., An Efficient Method of Operating the Air-Gun | 1 | 85 |
| Safar, M. H., On the Response of Marine Seismic Streamer Systems | 4 | 513 |
| Saghy, G., Residual Static Corrections—Iterative Solution Analysis | 2 | 175 |
| Sampaio, E. S., Electrical Soundings of a Half-Space with a Monotonic Continuous Variation of the Resistivity with Depth | 6 | 967 |
| Sato, H. K., Electrical Soundings of a Half-Space with a Monotonic Continuous Variation of the Resistivity with Depth | 6 | 967 |
| Sattlegger, J. W., Common Offset Plane Migration (COPMIG) | 6 | 859 |
| Seara, J. L., On the Properties of the Reciprocal Geoelectric Section | 1 | 135 |
| Sengupta, B. J., Apparent Resistivity of a Multilayered Earth with a Layer Having Exponentiality Varying Conductivity | 3 | 435 |
| Sengupta, B. J., Resistivity Sounding on a Multilayered Earth Containing Transition Layers | 5 | 750 |
| Shraibman, U. I., Correlation Methods of Transformation and Interpretation of Geophysical Anomalies | 6 | 919 |
| Sinclair, J. E., Interaction Effects in Marine Seismic Source Arrays | 3 | 323 |
| Sjogren, B., The Law of Parallelism in Refraction Shooting | 5 | 716 |
| Spies, B. R., A Field Occurrence of Sign Reversals with the Transient Electromagnetic Method | 4 | 620 |
| Stiller, P. K., Common Offset Plane Migration (COPMIG) | 6 | 859 |
| Szaraniec, E., Direct Resistivity Interpretation by Accumulation of Layers | 2 | 257 |
| Taner, M. T., Long Period Sea-Floor Multiples and their Suppression | 1 | 30 |
| Townsend, D. W., Geophysical Data Bases: Systems Considerations | 4 | 495 |
| Tyapkin, K. F., Study of Abyssal Fractures in the Ukrainian Shield by Geophysical Methods | 6 | 935 |
| Ulrych, T. J., Impulse Response Models for Noisy Vibroseis Data | 1 | 49 |
| Verma, S. K., Theory for the Bipole-Dipole Method of Resistivity Sounding | 2 | 297 |
| Verma, S. K., Digital Linear Filter for Computing Type Curves for the Two-Electrode System of Resistivity Sounding | 4 | 610 |
| Verma, R. K., Equivalence in Electromagnetic (Frequency) Sounding | 5 | 776 |
| Vig, P. K., An Optimized Technique for Determining Stacking Velocity from Seismic Reflection Data | 6 | 825 |
| Vijaya Raghava, M. S., The Correlation Refraction Methods as Applied to Weathered Zone Studies in a Granite Terrain | 1 | 18 |
| Vitvitsky, O. V., Correlation Methods of Transformation and Interpretation of Geophysical Anomolies | 6 | 919 |

## INDEX BY AUTHOR


| | Issue No. | Page |
|---|---|---|
| White, R. E., Partial Coherence Matching of Synthetic Seismograms with Seismic Traces | 3 | 333 |
| Whiteley, R. J., Velocity Determination and Error Analysis for the Seismic Refraction Method | 1 | 1 |
| Worthington, M. H., Inversion of Surface and Borehole Electromagnetic Data for Two-Dimensional Electrical Conductivity Models | 4 | 633 |
| Wulfften Palthe, D. W. van., Migration in the Presence of Noise | 3 | 372 |
| Zelei, A., Residual Static Corrections—Iterative Solution Analysis | 2 | 175 |
| Zhdanov, M. S., Correlation Methods of Transformation and Interpretation of Geophysical Anomalies | 6 | 919 |
| Ziolkowski, A. M., Wavelet Deconvolution using a Source Scaling Law | 6 | 872 |
| Ziolkowski, A. M., Source Array Scaling for Wavelet Deconvolution | 6 | 902 |